RIVERDALE MUNICIPALITY PUBLIC WATER SYSTEM ANNUAL REPORT - 2021

Riverdale Municipality strives to provide high quality drinking water in sufficient quantity to meet the needs of the public. It is our goal to do so in a safe, cost-effective manner while remaining in compliance with the regulatory requirements governing the provision of drinking water.

The operation of our water system is regulated in part by the Drinking Water Safety Act (MR40/2007), which came into force on March 1, 2007. Section 32(1) of the regulation stipulates that water systems serving 1,000 or more persons must prepare an annual report to its water users. Therefore, the following report has been prepared for the Town of Rivers water consumers.

Where does our water come from?

The Town of Rivers used water from four deep wells in the late 1940's but abandoned the wells when it bought the CNR dam on the Little Saskatchewan River south of town.

In 1991 the town began pumping water from Lake Wahtopanah, abandoning the reservoir at the river. This change has improved water quality thus reducing the cost of the treatment process.

How does the water get to our tap?

Source:

• Two 23 horse submersible pumps pump the raw water from Lake Wahtopanah to the water treatment plant through 2.5 kms of 250 mm C-900 PVC pipe.

Treatment:

- The raw water enters a pre-filter/strainer in the treatment facility that limits the quantity of larger particles entering the Membrane Filtration Units (MFU) and reduces the frequency of backwash cycles required to clean the units.
- After the pre-filters, the water goes through the MFU's. The MFU's consist of two sets of eight ultrafiltration (UF) modules each.
- Each UF module has hundreds of hollow straws (membranes) that the water is forced through.
- The water enters the module where pressure is applied to force water through the membranes.
 Most of the water passes out of the module through the inside of the membranes, while particles larger than the pore size of the membrane are rejected.
- This process removes bacteria, viruses, colloids, parasites such as Giardia and Cryptosporidium, and similar sized particles from the water.
- From the UF modules, the water is placed in a reservoir used to supply the Membrane
 Treatment Units (MTU). This reservoir is now being chlorinated to reduce biofouling in the RO
 membranes. Biofouling is biological growth that inhibits the flow of water through the
 membranes. As the water is pumped to the MTU's, Sodium Bisulfite is added to dechlorinate the
 water as chlorine will damage the membranes.
- The MTU's consist of two sets of four reverse osmosis (RO) modules and two Nano-filtration (NF) modules.

- The water from the UF reservoir is pumped to the modules where pressure is applied to the
 membranes, forcing the water through the membranes, leaving behind the small amount of
 water that will not pass through due to the dissolved substances that are too large for the
 membrane pore size, (concentrate).
- The concentrate is stored in a waste chamber where it is neutralized before being pumped out to the Little Saskatchewan River.
- The pure water (permeate) passes through the RO/NF membranes, removing dissolved contaminates such as salts and organics.

Distribution:

- The treated water is stored in a 1000m3/three chamber reservoir under the treatment facility.
- Chlorine is injected as the treated water enters the reservoir. This allows the chlorine adequate contact time to maintain the required residual.
- Treated water is pumped to the distribution system by 4-25 hp pumps which alternate between cycles and during low demand periods, a 7.5 hp "Jockey pump" is used.
- The distribution system pressure is currently set at 48 psi. (Pounds per square inch).
- The distribution piping is comprised of 150mm Transite water main and ¾ inch to 2-inch service connections. There are currently a total of 538 services which are all metered.
- An on-site backup generator at the treatment facility is used to run the distribution pumps in the event of a power outage.

What chemicals are used in the treatment of our water?

The clarity of surface water changes each season and is dependent on the weather (amount of precipitation, temperature, spring runoff, etc.). As the water changes, adjustments are made to the process to ensure the best possible finished water. The following is a list of the chemicals we currently use and a brief description of their function.

Anti-Scalant – Fed into the feed water of the MTU to control scaling of the membranes. **Sodium Hydroxide** – Used for high PH cleanings on the UF's and fed into the permeate water of the MTU for PH adjustment.

Hydrochloric Acid - Used for low PH cleanings on the UF's and caustic neutralization.

Sodium Hypochlorite – Used in the UF membrane cleaning process. Also, an adequate amount of chlorine is added before the water enters the storage reservoir to provide a disinfectant residual throughout the distribution piping.

Corrosion Inhibitor – A liquid inhibitor formulated to control corrosion in our distribution lines. **Sodium Bisulphite-** Injected into the MTU feed lines to dechlorinate the feed water and to dechlorinate CIP (clean in place) and CEB (chemically enhanced backwash) water in the UF's.

Is our water tested? What for? When?

Water tests are taken on a routine basis to ensure that the water is safe and to monitor how well the treatment process is working. We test the water at the water treatment facility every day. We also test the water in the distribution system, as well as the raw water regularly. It is a regulatory requirement that all water test results associated with water safety be submitted to the provincial Office of Drinking Water for review.

Disinfectant Testing: On line chlorine analyzers in the treatment process continuously monitor the level of chlorine in the treated water, in addition to manual chlorine tests done by the operator several times per day to ensure that the water leaving the water treatment plant has enough chlorine to ensure proper disinfection throughout the system. We also test chlorine levels in the distribution system every time we take water samples for bacterial testing.

Turbidity Testing: Turbidity is defined as the cloudiness of a fluid caused by individual particles. Turbidity testing is a measurement of the clarity of water. We use turbidity to tell us how well our treatment process is working and to make adjustments to our chemical feed rates throughout the year as the water changes. Six on line turbidity analyzers continuously monitor the water as it goes through the treatment process, in addition to daily manual turbidity testing done by the operator.

Bacterial Testing: We test the raw water (untreated lake water), the treated water (leaving the water treatment plant) and the water in the distribution system at two locations every two weeks (bi-weekly) for the presences of Total Coliform and E. coli bacteria. If these bacteria are present in the water, it is an indication that disease-causing organisms may be present. If the laboratory results are positive, we resample and test again. If the results are still positive, a boil water advisory may be issued to the town at which time the public would be notified by the various media.

Trihalomethane (THM)/Haloacetic Acid (HAA) Testing: Trihalomethanes (THMs) and Haloacetic Acid (HAA) are by-products of the water treatment process. They are formed when natural organic material, such as the decaying vegetation commonly found in lakes and reservoirs, reacts with chlorine used to treat the water. This reaction produces "disinfection by-products," the most common of which are THMs and HAA's. Sampling is done four times per year, every second year, and the standard is based on these tests.

Chemical Testing: We test the raw and treated water for 60 chemical parameters on an annual basis. Sampling was completed in September,2021. Testing indicated that the treated water met all health and aesthetic guidelines. A copy of the chemical analysis report can be obtained from the Municipal office.

Microbial Testing: The UF modules are tested on a daily basis to ensure membrane integrity. This test produces Log Removal Value that must be higher than 3.0 to ensure microbes such as Cryptosporidium and Giardia are being removed.

Microcystin Testing: During the summer months, we do visual inspections for algae near the raw water intake. If an algae bloom is present, we test for microcystin toxins every three days until the bloom has passed. In 2021, no microcystin was detected in the raw water.

What are the results of the tests?

The following list summarizes all the treated water test results for 2021:

Table 1. Treated Water Test Results and Standards

Testing Parameter	Standard	Frequency	Test Results
Bacterial	0-TC*, 0-EC*	Bi-weekly	100% Compliance
Chlorine (leaving reservoir)	0.5mg/L	Continuous	100% Compliance
Chlorine (in town)	0.1mg/L	Bi-weekly	100% Compliance
Turbidity	<0.1 NTU	Continuous	96 % Compliance

THM 0.1mg/L Quarterly (2020 result) 0.0090 mg/L

(Trihalomethanes)

HAA (Haloacetic Acids) 0.08mg/L Quarterly (2020 result) 0.0055 mg/L

Microbial 3 LRV* Daily 100% Compliance

How do we alert Public Utilities Staff to water emergencies?

The new Water Treatment Plant utilizes a SCADA program. SCADA is an acronym for Supervisory Control and Data Acquisition. SCADA generally refers to an industrial computer system that monitors and controls all the processes in the plant and through an alarm system alert Utilities Staff to any emergencies that might affect the town's water supply. There is an operator on call 24 hours a day, 7 days a week. The operator is available via cell phone at all times.

Were there any emergencies, regulatory compliance issues or other operational issues to report in 2021?

There were no water emergencies in 2021. Regulatory Compliance issues were:

• Failure to maintain less than or equal to 0.1 NTU in 99% of the measurements in a month as specified. (January,2021) This was reported to the DWO.

Future system expansion or expenses expected?

Currently we have applied for funding for a rural water pipeline to provide potable water to the rural population.

Who can we call with questions or concerns regarding our drinking water?

For general questions during regular business hours, call the Riverdale Municipality Office from 9:00 am to 5:00 pm at 204-328-5300 or the Water Treatment Plant operator at 204-328-7480.

For after hour's emergencies, the operator-on-call is Jeff Worth @ 204-573-7840 or Mike Beaule @ 204-573-7841.

Attached is a list of all chemical water quality standards that apply to the water system, and a summary of analysis results for each parameter before and after treatment.



Riverdale Municipality - Water Treatment

Plant

ATTN: JEFF WORTH

Rivers - PWS Box 520

Rivers MB ROK 1X0

Date Received: 14-SEP-21

Report Date: 27-SEP-21 15:46 (MT)

Version: FINAL

Client Phone: 204-328-7480

Certificate of Analysis

Lab Work Order #: L2638753

Project P.O. #: Contract#: 5648 (MICROCHEM)

Job Reference: RIVERS - PWS 181.00

C of C Numbers:

Legal Site Desc: 16843

Whe

Hua Wo

Chemistry Laboratory Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 1329 Niakwa Road East, Unit 12, Winnipeg, MB R2J 3T4 Canada | Phone: +1 204 255 9720 | Fax: +1 204 255 9721

ALS CANADA LTD | Part of the ALS Group | An ALS Limited Company





ANALYTICAL REPORT

L2638753 CONTD.... PAGE 2 of 7 27-SEP-21 15:46 (MT)

Physical Tests (WATER)

Analyte	Unit	Sampl	ALS ID led Date led Time mple ID Guide Limit #2	L2638753-1 13-SEP-21 10:00 RIVERS 2 - TREATED	L2638753-2 13-SEP-21 10:15 RIVERS 1 - RAW
Colour, True	CU	15		<5.0	26.1
Conductivity	umhos/cm	1 -	_	46.6	708
Hardness (as CaCO3)	mg/L	-	-	6.78 HTC	338 нтс
Langelier Index (4 C)	No Unit	_	-	-2.8	1.2
Langelier Index (60 C)	No Unit	-	-	-2.1	1.9
Hq	pH units	7.00-10.5	5 -	7.37	8.74
Total Dissolved Solids	mg/L	500	-	24.2	462
Transmittance, UV (254 nm)	%T/cm	-	-	97.5	44.5
Turbidity	NTU	-	-	<0.10	2.74

Federal Guidelines for Canadian Drinking Water Quality (MAR, 2021)

#1: GCDWQ - Aesthetic Objective/Other Value (Jan.2020)

#2: GCDWQ - Maximum Acceptable Concentrations (MACs-Jan.2020)

Anions and Nutrients (WATER)

			ALS ID	L2638753-1	L2638753-2
		Samp	led Date	13-SEP-21	13-SEP-21
			led Time	10:00	10:15
~		Sample ID			RIVERS 1 - RAW
Analyte	Unit	Guide Limit #1	Guide Limit #2	TREATED	
Alkalinity, Total (as CaCO3)	mg/L	-	•	15.8	227
Ammonia, Total (as N)	mg/L	-	-	<0.010	0.018
Bicarbonate (HCO3)	mg/L	-	-	19.3	238
Bromide (Br)	mg/L	-	-	<0.010	<0.010
Carbonate (CO3)	mg/L	-	-	<0.60	19.2
Chloride (CI)	mg/L	250	-	2.33	8.60
Fluoride (F)	mg/L	•	1.5	<0.020	0.160
Hydroxide (OH)	mg/L	-	-	<0.34	<0.34
Nitrate (as N)	mg/L		10	0.0050	0.0058
Nitrite (as N)	mg/L	-	1	<0.0010	<0.0010
Sulfate (SO4)	mg/L	500	-	4.11	161
Sulfate (SO4)	mg/L	500	-	4.11	161

Federal Guidelines for Canadian Drinking Water Quality (MAR, 2021)

#1: GCDWQ - Aesthetic Objective/Other Value (Jan.2020)

#2: GCDWQ - Maximum Acceptable Concentrations (MACs-Jan.2020)

Organic / Inorganic Carbon (WATER)

	<i>F</i>	ALS ID	L2638753-1	L2638753-2
	Sampled	Date	13-SEP-21	13-SEP-21
	Sampled	Time	10:00	10:15
	Sam	ple ID	RIVERS 2 -	RIVERS 1 - RAW
Unit			TREATED	
mg/L	-	-	<0.50	13.9
mg/L	•	•	<0.50	14.2
	mg/L	Sampled Sampled Sam Guide (Unit Limit #1 Lir	Unit Limit #1 Limit #2	Sampled Date Sampled Time Sampled Time Sample ID Sample ID Guide Unit Limit #1 Limit #2 Co.50 Co

Federal Guidelines for Canadian Drinking Water Quality (MAR, 2021)

#1: GCDWQ - Aesthetic Objective/Other Value (Jan.2020)

#2: GCDWQ - Maximum Acceptable Concentrations (MACs-Jan.2020)

J	Detection	Limit for	result e	exceeds	Guide Limit.	Assessment	against	Guide Limit	cannot b	e made.
01/79	Analytical	result fo	r this pa	arameter	exceeds G	uide Limit liste	d on this	report.		

^{*} Please refer to the Reference Information section for an explanation of any qualifiers noted.



ANALYTICAL REPORT

L2638753 CONTD.... PAGE 3 of 7 27-SEP-21 15:46 (MT)

Total Metals (WATER)

			ALS ID	L2638753-1	L2638753-2	
		•	led Date	13-SEP-21	13-SEP-21	
		•	led Time	10:00	10:15	
		Guide	mple ID Guide	RIVERS 2 - TREATED	RIVERS 1 - RAV	
Analyte	Unit	Limit #1		INEALED		
Aluminum (AI)-Total	mg/L	0.1	2.9	0.0075	0.0179	
Antimony (Sb)-Total	mg/L	•	0.006	<0.00010	0.00020	
Arsenic (As)-Total	mg/L	*	0.01	0.00015	0.00565	
Barium (Ba)-Total	mg/L	-	2	0.00126	0.0408	
Beryllium (Be)-Total	mg/L	-	-	<0.00010	<0.00010	
Bismuth (Bi)-Total	mg/L	-	-	<0.000050	<0.000050	
Boron (B)-Total	mg/L	•	5	0.108	0.156	
Cadmium (Cd)-Total	mg/L	-	0.005	<0.0000050	<0.0000050	
Calcium (Ca)-Total	mg/L	-	-	1.36	65.5	
Cesium (Cs)-Total	mg/L	-	-	<0.000010	<0.000010	
Chromium (Cr)-Total	mg/L	-	0.05	<0.00010	<0.00010	
Cobalt (Co)-Total	mg/L	-	-	<0.00010	0.00029	
Copper (Cu)-Total	mg/L	1	2	0.00313	0.00061	
Iron (Fe)-Total	mg/L	0.3	-	<0.010	0.040	
Lead (Pb)-Total	mg/L	-	0.005	<0.000050	<0.000050	
Lithium (Li)-Total	mg/L	-	-	0.0076	0.0648	
Magnesium (Mg)-Total	mg/L	-	-	0.826	42.4	
Manganese (Mn)-Total	mg/L	0.02	0.12	<0.00010	0.0659	
Molybdenum (Mo)-Total	mg/L	-	-	0.000082	0.00236	
Nickel (Ni)-Total	mg/L	-	-	<0.00050	0.00153	
Phosphorus (P)-Total	mg/L	-	-	0.176	0.138	
Potassium (K)-Total	mg/L	-	-	0.836	7.91	
Rubidium (Rb)-Total	mg/L	-	-	0.00030	0.00256	
Selenium (Se)-Total	mg/L	-	0.05	<0.000050	0.000337	
Silicon (Si)-Total	mg/L	-	-	<0.10	0.57	
Silver (Ag)-Total	mg/L	-	•	<0.000010	<0.000010	
Sodium (Na)-Total	mg/L	200	-	5.86	39.4	
Strontium (Sr)-Total	mg/L	-	7	0.00640	0.283	
Tellurium (Te)-Total	mg/L	-	-	<0.00020	<0.00020	
Fhallium (TI)-Total	mg/L	-	-	<0.000010	<0.000010	
Fhorium (Th)-Total	mg/L	-	-	<0.00010	<0.00010	
Fin (Sn)-Total	mg/L	-	-	<0.00010	<0.00010	
Fitanium (Ti)-Total	mg/L	-	_	<0.00030	0.00043	

Federal Guidelines for Canadian Drinking Water Quality (MAR, 2021) #1: GCDWQ - Aesthetic Objective/Other Value (Jan.2020) #2: GCDWQ - Maximum Acceptable Concentrations (MACs-Jan.2020)

Detection Limit for result exceeds Guide Limit. Assessment against Guide Limit cannot be made. Analytical result for this parameter exceeds Guide Limit listed on this report.

^{*} Please refer to the Reference Information section for an explanation of any qualifiers noted.



ANALYTICAL REPORT

L2638753 CONTD....
PAGE 4 of 7
27-SEP-21 15:46 (MT)

Total Metals (WATER)

		ALS ID Sampled Date		L2638753-1	L2638753-2	
				13-SEP-21	13-SEP-21	
			led Time	10:00	10:15	
		Sample ID		RIVERS 2 -	RIVERS 1 - RAW	
Analyte	Unit	Guide Limit #1	Guide Limit #2	TREATED		
Tungsten (W)-Total	mg/L	-	_	<0.00010	<0.00010	
Uranium (U)-Total	mg/L	-	0.02	0.000064	0.00248	
Vanadium (V)-Total	mg/L	-	-	<0.00050	0.00197	
Zinc (Zn)-Total	mg/L	. 5	-	<0.0030	<0.0030	
Zirconium (Zr)-Total	mg/L	-	-	<0.00020	<0.00020	

Federal Guidelines for Canadian Drinking Water Quality (MAR, 2021)

#1: GCDWQ - Aesthetic Objective/Other Value (Jan.2020)

#2: GCDWQ - Maximum Acceptable Concentrations (MACs-Jan.2020)

Volatile Organic Compounds (WATER)

			ALS ID	L2638753-2	
		•	led Date	13-SEP-21	
		•	led Time	10:15	
		Guide	ample ID Guide	RIVERS 1 - RAW	
Analyte	Unit	Limit #1			
Benzene	mg/L	-	0.005	<0.00050	
Bromodichloromethane	mg/L	•	-	<0.00050	
Bromoform	mg/L	-	-	<0.0010	
Dibromochloromethane	mg/L	-	-	<0.00050	
Chloroform	mg/L	-	-	<0.00050	
1,1-dichloroethene	mg/L	-	0.014	<0.00050	
Dichloromethane	mg/L	•	0.05	<0.0050	
Ethylbenzene	mg/L	0.0016	0.14	<0.00050	
MTBE	mg/L	0.015	-	<0.00050	
Tetrachloroethene	mg/L	-	0.01	<0.00050	
Toluene	mg/L	0.024	0.06	<0.00050	
Trichloroethene	mg/L	-	0.005	<0.00050	
o-Xylene	mg/L	-	-	<0.00050	
M+P-Xylenes	mg/L	-	-	<0.00040	
Xylenes (Total)	mg/L	0.02	0.09	<0.00064	
Surrogate: 4-Bromofluorobenzene (SS)	%	-	-	84.3	
Surrogate: 1,4-Difluorobenzene (SS	6)%	-	-	97.2	

Federal Guidelines for Canadian Drinking Water Quality (MAR, 2021)

#1: GCDWQ - Aesthetic Objective/Other Value (Jan.2020)

#2: GCDWQ - Maximum Acceptable Concentrations (MACs-Jan.2020)

Detection Limit for result exceeds Guide Limit. Assessment against Guide Limit cannot be made.
Analytical result for this parameter exceeds Guide Limit listed on this report.

^{*} Please refer to the Reference Information section for an explanation of any qualifiers noted.

L2638753 CONTD.... PAGE 5 of 7 27-SEP-21 15:46 (MT)

Reference Information

Qualifiers for Individual Parameters Listed:

Qualifier Description

HTC Hardness was calculated from Total Ca and/or Mg concentrations and may be biased high (dissolved Ca/Mg results unavailable).

Methods Listed (if applicable):

ALS Test Code

Matrix **Test Description** Method Reference*

ALK-CO3CO3-CALC-WP

Water

Alkalinity, Carbonate

CALCULATION

The Alkalinity of water is a measure of its acid neutralizing capacity. Alkalinity is imparted by bicarbonate, carbonate and hydroxide components of water. The fraction of alkalinity contributed by carbonate is calculated and reported as mg CO3 2-/L.

ALK-HCO3HCO3-CALC-

Water

Alkalinity, Bicarbonate

CALCULATION

The Alkalinity of water is a measure of its acid neutralizing capacity. Alkalinity is imparted by bicarbonate, carbonate and hydroxide components of water. The fraction of alkalinity contributed by bicarbonate is calculated and reported as mg HCO3-/L

ALK-OHOH-CALC-WP

Water

Alkalinity, Hydroxide

CALCULATION

The Alkalinity of water is a measure of its acid neutralizing capacity. Alkalinity is imparted by bicarbonate, carbonate and hydroxide components of water. The fraction of alkalinity contributed by hydroxide is calculated and reported as mg OH-/L.

ALK-TITR-WP

Water

Alkalinity, Total (as CaCO3)

APHA 2320B

The Alkalinity of water is a measure of its acid neutralizing capacity. Alkalinity is imparted by bicarbonate, carbonate and hydroxide components of water. Total alkalinity is determined by titration with a strong standard mineral acid to the successive HCO3- and H2CO3 endpoints indicated electrometrically.

BR-L-IC-N-WP

Water

Bromide in Water by IC (Low Level)

EPA 300.1 (mod)-LR

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

C-DOC-HTC-WP

Water

Dissolved Organic Carbon by Combustion

APHA 5310 B-WP

Filtered (0.45 um) sample is acidified and purged to remove inorganic carbon, then injected into a heated reaction chamber where organic carbon is oxidized to CO2 which is then transported in the carrier gas stream and measured via a non-dispersive infrared analyzer.

C-TOC-HTC-WP

Total Organic Carbon by Combustion APHA 5310 B-WP

Sample is acidified and purged to remove inorganic carbon, then injected into a heated reaction chamber where organic carbon is oxidized to CO2 which is then transported in the carrier gas stream and measured via a non-dispersive infrared analyzer.

CL-L-IC-N-WP

Water

Chloride in Water by IC (Low Level)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

COLOUR-TRUE-WP

Water

Colour, True

APHA 2120C

True Colour is measured spectrophotometrically by comparison to platinum-cobalt standards using the single wavelength method (450 - 465 nm) after filtration of sample through a 0.45 um filter. Colour measurements can be highly pH dependent, and apply to the pH of the sample as received (at time of testing), without pH adjustment. Concurrent measurement of sample pH is recommended.

EC-SCREEN-WP

Water

Conductivity Screen (Internal Use

APHA 2510

Only) Qualitative analysis of conductivity where required during preparation of other test eg. IC, TDS, TSS, etc

EC-WP

Water

Conductivity

APHA 2510B

Conductivity of an aqueous solution refers to its ability to carry an electric current. Conductance of a solution is measured between two spatially fixed and chemically inert electrodes.

ETL-LANGELIER-4-WP Water Langelier Index 4C Calculated

ETL-LANGELIER-60-WP

Water

Langelier Index 60C

Calculated

F-IC-N-WP

Water

Fluoride in Water by IC

EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

HARDNESS-CALC-WP

Water

Hardness Calculated

APHA 2340B

Hardness (also known as Total Hardness) is calculated from the sum of Calcium and Magnesium concentrations, expressed in CaCO3 equivalents. Dissolved Calcium and Magnesium concentrations are preferentially used for the hardness calculation.

IONBALANCE-CALC-WP Water

Ion Balance Calculation

APHA 1030E

L2638753 CONTD PAGE 6 of 7 27-SEP-21 15:46 (MT)

Reference Information

Methods Listed (if applicable):

ALS Test Code

Matrix

Test Description

Method Reference**

Cation Sum, Anion Sum, and Ion Balance (as % difference) are calculated based on guidance from APHA Standard Methods (1030E Checking Correctness of Analysis). Because all aqueous solutions are electrically neutral, the calculated ion balance (% difference of cations minus anions) should be near-zero.

Cation and Anion Sums are the total meg/L concentration of major cations and anions. Dissolved species are used where available. Minor ions are included where data is present. Ion Balance (as % difference) cannot be calculated accurately for waters with very low electrical conductivity (EC), and is reported as "Low EC" where EC < 100 uS/cm (umhos/cm). Ion Balance is calculated as:

Ion Balance (%) = [Cation Sum-Anion Sum] / [Cation Sum+Anion Sum]

MET-T-CCMS-WP

Water

Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

NH3-COL-WP

Water

Ammonia by colour

APHA 4500 NH3 F

Ammonia in water samples forms indophenol when reacted with hypochlorite and phenol. The intensity is amplified by the addition of sodium nitroprusside and measured colourmetrically.

NO2-L-IC-N-WP

Water

Nitrite in Water by IC (Low Level)

EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

NO3-L-IC-N-WP

Water

Nitrate in Water by IC (Low Level)

EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

PH-WP

APHA 4500H

The pH of a sample is the determination of the activity of the hydrogen ions by potentiometric measurement using a standard hydrogen electrode and a reference electrode.

SO4-IC-N-WP

Water

Sulfate in Water by IC

EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

TDS-WP

Water

Total Dissolved Solids (TDS)

APHA 2540 SOLIDS C,E

A well-mixed sample is filtered through a glass fiber filter paper. The filtrate is then evaportaed to dryness in a pre-weighed vial and dried at 180 -2C. The increase in vial weight represents the total dissolved solids.

TURBIDITY-WP

Water

Turbidity

APHA 2130B (modified)

Turbidity in aqueous matrices is determined by the nephelometric method.

UV-%TRANS-WP

Water

UV Transmittance (Calculated)

APHA 5910B

Test method is adapted from APHA Method 5910B. A sample is filtered through a 0.45 um polyethersulfone (PES) filter and its UV Absorbance is measured in a quartz cell at 254 nm. UV Transmittance is calculated from the UV Absorbance result and reported as UV Transmittance per cm. The analysis is carried out without pH adjustment.

VOC+F1-HSMS-WP

Water

VOC plus F1 by GCMS

EPA 8260C / EPA 5021A

In this method samples are analyzed using a headspace autosampler interfaced to a dual column gas chromatograph with MS and Flame Ionization detectors.

XYLENES-SUM-CALC-WP Water

Sum of Xylene Isomer Concentrations CALCULATED RESULT

Total xylenes represents the sum of o-xylene and m&p-xylene.

**ALS test methods may incorporate modifications from specified reference methods to improve performance.

Chain of Custody Numbers:

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code

Laboratory Location

WP

ALS ENVIRONMENTAL - WINNIPEG, MANITOBA, CANADA

L2638753 CONTD.... PAGE 7 of 7 27-SEP-21 15:46 (MT)

Reference Information

GLOSSARY OF REPORT TERMS

Surrogates are compounds that are similar in behaviour to target analyte(s), but that do not normally occur in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery. In reports that display the D.L. column, laboratory objectives for surrogates are listed there.

mg/kg - milligrams per kilogram based on dry weight of sample mg/kg wwt - milligrams per kilogram based on wet weight of sample mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight mg/L - unit of concentration based on volume, parts per million.

< - Less than. D.L. - The reporting limit.

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.

Application of guidelines is provided "as is" without warranty of any kind, either expressed or implied, including, but not limited to, fitness for a particular purpose, or non-infringement. ALS assumes no responsibility for errors or omissions in the information. Guideline limits are not adjusted for the hardness, pH or temperature of the sample (the most conservative values are used). Measurement uncertainty is not applied to test results prior to comparison with specified criteria values.



Workorder: L2638753

Report Date: 27-SEP-21

Page 1 of 13

Client:

Riverdale Municipality - Water Treatment Plant

Rivers - PWS Box 520 Rivers MB R0K 1X0

	1114013	IVIL	11011
Contact:	JEFF V	VOR	TH

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
ALK-TITR-WP	Water							
Batch R558510 WG3618436-4 LCS Alkalinity, Total (as Ca			99.0		%		85-115	15-SEP-21
WG3618436-1 MB Alkalinity, Total (as Ca	CO3)		<1.0		mg/L		1	15-SEP-21
Batch R558709 WG3619719-5 DUP Alkalinity, Total (as Ca		L2639493-1 57.3	57.0		mg/L	0.5	20	15-SEP-21
WG3619719-4 LCS Alkalinity, Total (as Ca	CO3)		100.7		%		85-115	15-SEP-21
WG3619719-1 MB Alkalinity, Total (as Ca	CO3)		1.0		mg/L		1	15-SEP-21
BR-L-IC-N-WP	Water							
Batch R5584543 WG3616995-3 DUP Bromide (Br)	3	L2638753-2 <0.010	<0.010	RPD-NA	mg/L	N/A	20	14-SEP-21
WG3616995-2 LCS Bromide (Br)		0.07.0	103.1	N D-NA	%	N/A	85-115	14-SEP-21
WG3616995-1 MB Bromide (Br)			<0.010		mg/L		0.01	14-SEP-21
WG3616995-4 MS Bromide (Br)		L2638753-2	103.5		%		75-125	14-SEP-21
C-DOC-HTC-WP	Water							
Batch R5584386 WG3617069-15 DUP Dissolved Organic Carl		L2638753-1 <0.50	<0.50	RPD-NA	mg/L	N/A	20	15-SEP-21
WG3617069-14 LCS Dissolved Organic Carl	oon		97.4		%		80-120	15-SEP-21
WG3617069-13 MB Dissolved Organic Carl	oon		<0.50		mg/L		0.5	15-SEP-21
WG3617069-16 MS Dissolved Organic Cart	oon	L2638753-2	N/A	MS-B	%		-	15-SEP-21
C-TOC-HTC-WP	Water							
Batch R5584389 WG3617488-3 DUP Total Organic Carbon		L2638753-1 <0.50	<0.50	RPD-NA	mg/L	N/A	20	15-SEP-21
WG3617488-2 LCS Total Organic Carbon			100.5		%		80-120	15-SEP-21



Workorder: L2638753

Report Date: 27-SEP-21

Page 2 of 13

Client:

Riverdale Municipality - Water Treatment Plant

Rivers - PWS Box 520 Rivers MB R0K 1X0

Test		Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
C-TOC-HTC-WP		Water		***************************************					
Batch R: WG3617488-1 Total Organic (5584389 MB Carbon			<0.50		mg/L		0.5	15-SEP-21
WG3617488-4 Total Organic 0	MS Carbon		L2638753-2	N/A	MS-B	%		-	15-SEP-21
CL-L-IC-N-WP		Water							
Batch R: WG3616995-3 Chloride (CI)	5584543 DUP		L2638753-2 8.60	8.68		mg/L	0.9	20	14-SEP-21
WG3616995-2 Chloride (CI)	LCS			99.0		%		90-110	14-SEP-21
WG3616995-1 Chloride (CI) WG3616995-4	MB MS		L2638753-2	<0.10		mg/L		0.1	14-SEP-21
Chloride (CI)	MIS		L2630/53-2	99.5		%		75-125	14-SEP-21
COLOUR-TRUE-W		Water							
Batch R5 WG3618590-3 Colour, True	5585546 DUP		L2638845-1 60.0	62.0		CU	3.2	20	15-SEP-21
WG3618590-2 Colour, True	LCS			93.7		%		85-115	15-SEP-21
WG3618590-1 Colour, True	MB			<5.0		CU		5	15-SEP-21
EC-WP		Water							
	585106								
WG3618436-5 Conductivity	DUP		L2638753-1 46.6	45.8		umhos/cm	1.7	10	15-SEP-21
WG3618436-3 Conductivity	LCS			98.1		%		90-110	15-SEP-21
WG3618436-1 Conductivity	MB			<1.0		umhos/cm		1	15-SEP-21
F-IC-N-WP		Water							
Batch R5	584543								
WG3616995-3 Fluoride (F)	DUP		L2638753-2 0.160	0.155		mg/L	2.6	20	14-SEP-21
WG3616995-2 Fluoride (F)	LCS		,	97.7		%		90-110	14-SEP-21
WG3616995-1	MB								



Workorder: L2638753

Report Date: 27-SEP-21

Page 3 of 13

Client:

Riverdale Municipality - Water Treatment Plant

Rivers - PWS Box 520 Rivers MB R0K 1X0

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
F-IC-N-WP	Water							
Batch R5584543 WG3616995-1 MB Fluoride (F)			<0.020		mg/L		0.02	14-SEP-21
WG3616995-4 MS Fluoride (F)		L2638753-2	97.7		%		75-125	14-SEP-21
MET-T-CCMS-WP	Water							
Batch R5586238								
WG3618049-4 DUP Aluminum (AI)-Total		WG3618049-3 0.0253	0.0143	J,G	mg/L	0.0109	0.006	16-SEP-21
Antimony (Sb)-Total		0.00018	0.00018		mg/L	3.2	20	16-SEP-21
Arsenic (As)-Total		0.00568	0.00571		mg/L	0.6	20	16-SEP-21
Barium (Ba)-Total		0.0410	0.0411		mg/L	0.3	20	16-SEP-21
Beryllium (Be)-Total		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	16-SEP-21
Bismuth (Bi)-Total		<0.000050	<0.000050	RPD-NA	mg/L	N/A	20	16-SEP-21
Boron (B)-Total		0.151	0.160		mg/L	5.8	20	16-SEP-21
Cadmium (Cd)-Total		<0.0000050	<0.0000050	RPD-NA	mg/L	N/A	20	16-SEP-21
Calcium (Ca)-Total		64.6	67.2		mg/L	3.9	20	16-SEP-21
Cesium (Cs)-Total		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	16-SEP-21
Chromium (Cr)-Total		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	16-SEP-21
Cobalt (Co)-Total		0.00028	0.00029		mg/L	1.8	20	16-SEP-21
Copper (Cu)-Total		0.00062	0.00064		mg/L	3.7	20	16-SEP-21
Iron (Fe)-Total		0.041	0.038		mg/L	7.5	20	16-SEP-21
Lead (Pb)-Total		<0.000050	<0.000050	RPD-NA	mg/L	N/A	20	16-SEP-21
Lithium (Li)-Total		0.0638	0.0676		mg/L	5.8	20	16-SEP-21
Magnesium (Mg)-Total		42.3	42.3		mg/L	0.2	20	16-SEP-21
Manganese (Mn)-Total		0.0656	0.0656		mg/L	0.0	20	16-SEP-21
Molybdenum (Mo)-Total		0.00235	0.00241		mg/L	2.3	20	16-SEP-21
Nickel (Ni)-Total		0.00155	0.00152		mg/L	1.8	20	16-SEP-21
Potassium (K)-Total		8.00	7.98		mg/L	0.2	20	16-SEP-21
Phosphorus (P)-Total		0.130	0.133		mg/L	2.5	20	16-SEP-21
Rubidium (Rb)-Total		0.00249	0.00236		mg/L	5.6	20	16-SEP-21
Selenium (Se)-Total		0.000349	0.000285	J	mg/L	0.000064	0.0001	16-SEP-21
Silicon (Si)-Total		0.59	0.52		mg/L	12	20	16-SEP-21
Silver (Ag)-Total		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	16-SEP-21
Sodium (Na)-Total		39.5	40.0		mg/L	1.2	20	16-SEP-21



Workorder: L2638753

Report Date: 27-SEP-21

Page 4 of 13

Client:

Riverdale Municipality - Water Treatment Plant

Rivers - PWS Box 520 Rivers MB R0K 1X0

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-WP	Water							
Batch R5586238	3							
WG3618049-4 DUP Strontium (Sr)-Total		WG3618049-3 0.286	0.292		mg/L	2.2	20	16-SEP-21
Tellurium (Te)-Total		<0.00020	<0.00020	RPD-NA	mg/L	N/A	20	16-SEP-21
Thallium (TI)-Total		<0.000010	<0.000010	RPD-NA	mg/L	N/A	20	16-SEP-21
Thorium (Th)-Total		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	16-SEP-21
Tin (Sn)-Total		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	16-SEP-21
Titanium (Ti)-Total		0.00075	0.00034	J	mg/L	0.00041	0.0006	16-SEP-21
Tungsten (W)-Total		<0.00010	<0.00010	RPD-NA	mg/L	N/A	20	16-SEP-21
Uranium (U)-Total		0.00246	0.00239		mg/L	2.8	20	16-SEP-21
Vanadium (V)-Total		0.00197	0.00193		mg/L	2.0	20	16-SEP-21
Zinc (Zn)-Total		<0.0030	<0.0030	RPD-NA	mg/L	N/A	20	16-SEP-21
Zirconium (Zr)-Total		<0.00020	<0.00020	RPD-NA	mg/L	N/A	20	16-SEP-21
WG3618049-2 LCS								
Aluminum (AI)-Total			106.1		%		80-120	16-SEP-21
Antimony (Sb)-Total			105.1		%		80-120	16-SEP-21
Arsenic (As)-Total			100.8		%		80-120	16-SEP-21
Barium (Ba)-Total			102.8		%		80-120	16-SEP-21
Beryllium (Be)-Total			105.0		%		80-120	16-SEP-21
Bismuth (Bi)-Total			104.9		%		80-120	16-SEP-21
Boron (B)-Total			112.2		%		80-120	16-SEP-21
Cadmium (Cd)-Total			103.6		%		80-120	16-SEP-21
Calcium (Ca)-Total			100.6		%		80-120	16-SEP-21
Cesium (Cs)-Total			103.7		%		80-120	16-SEP-21
Chromium (Cr)-Total			104.5		%		80-120	16-SEP-21
Cobalt (Co)-Total			103.6		%		80-120	16-SEP-21
Copper (Cu)-Total			103.5		%		80-120	16-SEP-21
Iron (Fe)-Total			105.8		%		80-120	16-SEP-21
Lead (Pb)-Total			102.0		%		80-120	16-SEP-21
Lithium (Li)-Total			104.5		%		80-120	16-SEP-21
Magnesium (Mg)-Total			112.8		%		80-120	16-SEP-21
Manganese (Mn)-Total			103.5		%		80-120	16-SEP-21
Molybdenum (Mo)-Total			99.4		%		80-120	16-SEP-21
Nickel (Ni)-Total			104.5		%		80-120	16-SEP-21
Potassium (K)-Total			101.5		%		80-120	16-SEP-21



Workorder: L2638753

Report Date: 27-SEP-21

Page 5 of 13

Client:

Riverdale Municipality - Water Treatment Plant

Rivers - PWS Box 520

Rivers MB R0K 1X0

Contact:	JEFF	WORTH

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-WP	Water					**		
Batch R5586238	3							
WG3618049-2 LCS Phosphorus (P)-Total			106.9		%		80-120	16-SEP-21
Rubidium (Rb)-Total			100.1		%		80-120	16-SEP-21
Selenium (Se)-Total			101.0		%		80-120	16-SEP-21
Silicon (Si)-Total			110.5		%		80-120	16-SEP-21
Silver (Ag)-Total			101.9		%		80-120	16-SEP-21
Sodium (Na)-Total			109.0		%		80-120	16-SEP-21
Strontium (Sr)-Total			104.2		%		80-120	16-SEP-21
Tellurium (Te)-Total			96.0		%		80-120	16-SEP-21
Thallium (TI)-Total			99.5		%		80-120	16-SEP-21
Thorium (Th)-Total			101.1		%		80-120	16-SEP-21
Tin (Sn)-Total			99.7		%		80-120	16-SEP-21
Titanium (Ti)-Total			98.1		%		80-120	16-SEP-21
Tungsten (W)-Total			99.9		%		80-120	16-SEP-21
Uranium (U)-Total			100.4		%		80-120	16-SEP-21
Vanadium (V)-Total			105.4		%		80-120	16-SEP-21
Zinc (Zn)-Total			102.2		%		80-120	16-SEP-21
Zirconium (Zr)-Total			97.8		%		80-120	16-SEP-21
WG3618049-1 MB								
Aluminum (AI)-Total			<0.0030		mg/L		0.003	16-SEP-21
Antimony (Sb)-Total			<0.00010		mg/L		0.0001	16-SEP-21
Arsenic (As)-Total			<0.00010		mg/L		0.0001	16-SEP-21
Barium (Ba)-Total			<0.00010		mg/L		0.0001	16-SEP-21
Beryllium (Be)-Total			<0.00010		mg/L		0.0001	16-SEP-21
Bismuth (Bi)-Total			<0.000050		mg/L		0.00005	16-SEP-21
Boron (B)-Total			<0.010		mg/L		0.01	16-SEP-21
Cadmium (Cd)-Total			<0.0000050	•	mg/L		0.000005	16-SEP-21
Calcium (Ca)-Total			<0.050		mg/L		0.05	16-SEP-21
Cesium (Cs)-Total			<0.000010		mg/L		0.00001	16-SEP-21
Chromium (Cr)-Total			<0.00010		mg/L		0.0001	16-SEP-21
Cobalt (Co)-Total			<0.00010		mg/L		0.0001	16-SEP-21
Copper (Cu)-Total			<0.00050		mg/L		0.0005	16-SEP-21
Iron (Fe)-Total			<0.010		mg/L		0.01	16-SEP-21
Lead (Pb)-Total			<0.000050		mg/L		0.00005	16-SEP-21
Lithium (Li)-Total			<0.0010		mg/L		0.001	16-SEP-21



Workorder: L2638753

Report Date: 27-SEP-21

Page 6 of 13

Client:

Riverdale Municipality - Water Treatment Plant

Rivers - PWS Box 520 Rivers MB R0K 1X0

est	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
IET-T-CCMS-WP	Water							
Batch R5586238								
WG3618049-1 MB								
Magnesium (Mg)-Total			<0.0050		mg/L		0.005	16-SEP-21
Manganese (Mn)-Total			<0.00010		mg/L		0.0001	16-SEP-21
Molybdenum (Mo)-Total			<0.000050		mg/L		0.00005	16-SEP-21
Nickel (Ni)-Total			<0.00050		mg/L		0.0005	16-SEP-21
Potassium (K)-Total			<0.050	á	mg/L		0.05	16-SEP-21
Phosphorus (P)-Total			<0.030		mg/L		0.03	16-SEP-21
Rubidium (Rb)-Total			<0.00020		mg/L		0.0002	16-SEP-21
Selenium (Se)-Total			<0.000050		mg/L		0.00005	16-SEP-21
Silicon (Si)-Total			<0.10		mg/L		0.1	16-SEP-21
Silver (Ag)-Total			<0.000010		mg/L		0.00001	16-SEP-21
Sodium (Na)-Total			<0.050		mg/L		0.05	16-SEP-21
Strontium (Sr)-Total			<0.00020		mg/L		0.0002	16-SEP-21
Tellurium (Te)-Total			<0.00020		mg/L		0.0002	16-SEP-21
Thallium (TI)-Total			<0.000010		mg/L		0.00001	16-SEP-21
Thorium (Th)-Total			<0.00010		mg/L		0.0001	16-SEP-21
Tin (Sn)-Total			<0.00010		mg/L		0.0001	16-SEP-21
Titanium (Ti)-Total			<0.00030		mg/L		0.0003	16-SEP-21
Tungsten (W)-Total			<0.00010		mg/L		0.0001	16-SEP-21
Uranium (U)-Total			<0.000010		mg/L		0.00001	16-SEP-21
Vanadium (V)-Total			<0.00050		mg/L		0.0005	16-SEP-21
Zinc (Zn)-Total			<0.0030		mg/L		0.003	16-SEP-21
Zirconium (Zr)-Total			<0.00020		mg/L		0.0002	16-SEP-21
WG3618049-5 MS		WG3618049-3						
Aluminum (Al)-Total			96.5		%		70-130	16-SEP-21
Antimony (Sb)-Total			103.5		%		70-130	16-SEP-21
Arsenic (As)-Total			95.3		%		70-130	16-SEP-21
Barium (Ba)-Total			N/A	MS-B	%		-	16-SEP-21
Beryllium (Be)-Total			100.7		%		70-130	16-SEP-21
Bismuth (Bi)-Total			94.5		%		70-130	16-SEP-21
Boron (B)-Total			N/A	MS-B	%		-	16-SEP-21
Cadmium (Cd)-Total			98.4		%		70-130	16-SEP-21
Calcium (Ca)-Total			N/A	MS-B	%		-	16-SEP-21
Cesium (Cs)-Total			104.4		%		70-130	16-SEP-21
Chromium (Cr)-Total			99.1		%		70-130	16-SEP-21



Workorder: L2638753

Report Date: 27-SEP-21

Page 7 of 13

Client:

Riverdale Municipality - Water Treatment Plant

Rivers - PWS Box 520 Rivers MB R0K 1X0

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
MET-T-CCMS-WP	Water							
Batch R5586238								
WG3618049-5 MS Cobalt (Co)-Total		WG3618049-	3 97.4		%		70 400	40 OFD 04
Copper (Cu)-Total			92.6		%		70-130	16-SEP-21
Iron (Fe)-Total			99.0		%		70-130 70-130	16-SEP-21
Lead (Pb)-Total			90.7		%		70-130	16-SEP-21 16-SEP-21
Lithium (Li)-Total			101.7		%		70-130	16-SEP-21
Magnesium (Mg)-Total			N/A	MS-B	%		70-100	16-SEP-21
Manganese (Mn)-Total			N/A	MS-B	%			16-SEP-21
Molybdenum (Mo)-Total			103.8		%		70-130	16-SEP-21
Nickel (Ni)-Total			94.7		%		70-130	16-SEP-21
Potassium (K)-Total			N/A	MS-B	%		-	16-SEP-21
Phosphorus (P)-Total			103.0		%		70-130	16-SEP-21
Rubidium (Rb)-Total			95.3		%		70-130	16-SEP-21
Selenium (Se)-Total			103.2		%		70-130	16-SEP-21
Silicon (Si)-Total			104.5		%		70-130	16-SEP-21
Silver (Ag)-Total			99.4		%		70-130	16-SEP-21
Sodium (Na)-Total			N/A	MS-B	%		-	16-SEP-21
Strontium (Sr)-Total			N/A	MS-B	%		-	16-SEP-21
Tellurium (Te)-Total			96.4		%		70-130	16-SEP-21
Thallium (TI)-Total			91.6		%		70-130	16-SEP-21
Thorium (Th)-Total			96.5		%		70-130	16-SEP-21
Tin (Sn)-Total			101.4		%		70-130	16-SEP-21
Titanium (Ti)-Total			101.6		%		70-130	16-SEP-21
Tungsten (W)-Total			100.6		%		70-130	16-SEP-21
Uranium (U)-Total			91.1		%		70-130	16-SEP-21
Vanadium (V)-Total			101.9		%		70-130	16-SEP-21
Zìnc (Zn)-Total			93.2		%		70-130	16-SEP-21
Zirconium (Zr)-Total			106.2		%		70-130	16-SEP-21
NH3-COL-WP	Water							
Batch R5586261								
WG3619410-3 DUP Ammonia, Total (as N)		L2638129-1 0.049	0.047		mg/L	2.9	20	16-SEP-21
WG3619410-7 DUP		L2638129-4	21011		9.=	2.3	20	10-366-21
Ammonia, Total (as N)		0.053	0.046		mg/L	14	20	16-SEP-21
WG3619410-2 LCS								



Workorder: L2638753

Report Date: 27-SEP-21

Page 8 of 13

Client:

Contact:

Riverdale Municipality - Water Treatment Plant

Rivers - PWS Box 520 Rivers MB R0K 1X0

JEFF WORTH

Test		Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
NH3-COL-WP		Water							
Batch R: WG3619410-2 Ammonia, Tota	5586261 LCS al (as N)			100.7		%		85-115	16-SEP-21
WG3619410-6 Ammonia, Tota	LCS al (as N)			101.8		%		85-115	16-SEP-21
WG3619410-1 Ammonia, Tota	MB II (as N)			<0.010		mg/L		0.01	16-SEP-21
WG3619410-5 Ammonia, Tota	MB II (as N)			<0.010		mg/L		0.01	16-SEP-21
WG3619410-4 Ammonia, Tota	MS I (as N)		L2638129-1	84.0		%		75-125	16-SEP-21
WG3619410-8 Ammonia, Tota	MS i (as N)		L2638129-4	89.2		%		75-125	16-SEP-21
NO2-L-IC-N-WP		Water							
	584543								
WG3616995-3 Nitrite (as N)	DUP		L2638753-2 <0.0010	<0.0010	RPD-NA	mg/L	N/A	20	14-SEP-21
WG3616995-2 Nitrite (as N)	LCS			98.6		%		90-110	14-SEP-21
WG3616995-1 Nitrite (as N)	MB			<0.0010		mg/L		0.001	14-SEP-21
WG3616995-4 Nitrite (as N)	MS		L2638753-2	99.9		%		75-125	14-SEP-21
NO3-L-IC-N-WP		Water							
	584543								
WG3616995-3 Nitrate (as N)	DUP		L2638753-2 0.0058	0.0053		mg/L	11	20	14-SEP-21
WG3616995-2 Nitrate (as N)	LCS			100.2		%		90-110	14-SEP-21
WG3616995-1 Nitrate (as N)	MB			<0.0050		mg/L		0.005	14-SEP-21
WG3616995-4 Nitrate (as N)	MS		L2638753-2	105.3		%		75-125	14-SEP-21
∍H-MÞ		Water							
Batch R5	585106								
WG3618436-5 pH	DUP		L2638753-1 7.37	7.51	J	pH units	0.14	0.2	15-SEP-21
WG3618436-2	LCS								



Workorder: L2638753

Report Date: 27-SEP-21

Page 9 of 13

Client:

Riverdale Municipality - Water Treatment Plant

Rivers - PWS Box 520 Rivers MB R0K 1X0

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
PH-WP	Water							
Batch R5585106 WG3618436-2 LCS pH			7.01		pH units		6.9-7.1	15-SEP-21
SO4-IC-N-WP	Water							
Batch R5584543 WG3616995-3 DUP Sulfate (SO4)		L2638753-2 161	161		mg/L	0.1	20	14-SEP-21
WG3616995-2 LCS Sulfate (SO4)			100.8		%		90-110	14-SEP-21
WG3616995-1 MB Sulfate (SO4)			<0.30		mg/L		0.3	14-SEP-21
WG3616995-4 MS Sulfate (SO4)		L2638753-2	N/A	MS-B	%		-	14-SEP-21
TDS-WP	Water							
Batch R5592707 WG3620567-3 DUP Total Dissolved Solids		L2639425-3 871	853		mg/L	2.0	20	20-SEP-21
WG3620567-2 LCS Total Dissolved Solids			96.6		%		85-115	20-SEP-21
WG3620567-1 MB Total Dissolved Solids			<4.0		mg/L		4	20-SEP-21
TURBIDITY-WP	Water							
Batch R5584453 WG3617466-3 DUP Turbidity		L2638569-1 0.27	0.27		NTU	3.0	15	14-SEP-21
WG3617466-2 LCS Turbidity			105.0		%		85-115	14-SEP-21
WG3617466-1 MB Turbidity			<0.10		NTU		0.1	14-SEP-21
UV-%TRANS-WP	Water							
Batch R5585367								
WG3617893-3 DUP Transmittance, UV (254 n	ım)	L2638753-1 97.5	99.3		%T/cm	1.8	20	15-SEP-21
WG3617893-1 IRM Transmittance, UV (254 n	ım)	BLANK	100.0		%		99.5-100.5	15-SEP-21
WG3617893-2 LCS Transmittance, UV (254 n	m)		96.6		%		85-115	15-SEP-21



Workorder: L2638753

Report Date: 27-SEP-21

Page 10 of 13

Client:

Riverdale Municipality - Water Treatment Plant

Rivers - PWS Box 520 Rivers MB R0K 1X0

Contact:

JEFF WORTH

est	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
VOC+F1-HSMS-WP	Water							
Batch R5585964								
WG3617063-4 DUP Benzene		L2637954-2 <0.00050	<0.00050	RPD-NA	mg/L	N/A	30	15-SEP-21
Bromodichloromethane		<0.00050	<0.00050	RPD-NA	mg/L	N/A	30	15-SEP-21
Bromoform		<0.0010	<0.0010	RPD-NA	mg/L	N/A	30	15-SEP-21
Chloroform		<0.00050	<0.00050	RPD-NA	mg/L	N/A	30	15-SEP-21
Dibromochloromethane		<0.00050	<0.00050	RPD-NA	mg/L	N/A	30	15-SEP-21
1,1-dichloroethene		<0.00050	<0.00050	RPD-NA	mg/L	N/A	30	15-SEP-21
Dichloromethane		<0.0050	<0.0050	RPD-NA	mg/L	N/A	30	15-SEP-21
Ethylbenzene		<0.00050	<0.00050	RPD-NA	mg/L	N/A	30	15-SEP-21
MTBE		<0.00050	<0.00050	RPD-NA	mg/L	N/A	30	15-SEP-21
Tetrachloroethene		<0.00050	<0.00050	RPD-NA	mg/L	N/A	30	15-SEP-21
Toluene		<0.00050	<0.00050	RPD-NA	mg/L	N/A	30	15-SEP-21
Trichloroethene		<0.00050	<0.00050	RPD-NA	mg/L	N/A	30	15-SEP-21
M+P-Xylenes		<0.00040	<0.00040	RPD-NA	mg/L	N/A	30	15-SEP-21
o-Xylene		<0.00050	<0.00050	RPD-NA	mg/L	N/A	30	15-SEP-21
WG3617063-2 LCS								
Benzene			92.3		%		70-130	16-SEP-21
Bromodichloromethane			103.6		%		70-130	16-SEP-21
Bromoform			91.3		%		70-130	16-SEP-21
Chloroform			95.3		%		70-130	16-SEP-21
Dibromochloromethane			91.9		%		70-130	16-SEP-21
1,1-dichloroethene			91.6		%		70-130	16-SEP-21
Dichloromethane			94.5		%		70-130	16-SEP-21
Ethylbenzene			91.5		%		70-130	16-SEP-21
MTBE			90.7		%		70-130	16-SEP-21
Tetrachloroethene			80.9		%		70-130	16-SEP-21
Toluene			86.7		%		70-130	16-SEP-21
Trichloroethene			83.0		%		70-130	16-SEP-21
M+P-Xylenes			96.0		%		70-130	16-SEP-21
o-Xylene			93.2		%		70-130	16-SEP-21
WG3617063-1 MB Benzene			<0.00050		mg/L		0.0005	15-SEP-21
Bromodichloromethane			<0.00050		mg/L		0.0005	15-SEP-21
Bromoform			<0.0010		mg/L		0.001	15-SEP-21
					-		0.0005	



Workorder: L2638753

Report Date: 27-SEP-21

Page 11 of 13

Client:

Riverdale Municipality - Water Treatment Plant

Rivers - PWS Box 520

Rivers MB R0K 1X0

Test	Matrix	Reference	Result	Qualifier	Units	RPD	Limit	Analyzed
VOC+F1-HSMS-WP	Water							
Batch R5585964 WG3617063-1 MB								
Chloroform			<0.00050		mg/L		0.0005	15-SEP-21
Dibromochloromethane			<0.00050		mg/L		0.0005	15-SEP-21
1,1-dichloroethene			<0.00050		mg/L		0.0005	15-SEP-21
Dichloromethane			<0.0050		mg/L		0.005	15-SEP-21
Ethylbenzene			<0.00050		mg/L		0.0005	15-SEP-21
MTBE			<0.00050		mg/L		0.0005	15-SEP-21
Tetrachloroethene			<0.00050		mg/L		0.0005	15-SEP-21
Toluene			<0.00050		mg/L		0.0005	15-SEP-21
Trichloroethene			<0.00050		mg/L		0.0005	15-SEP-21
M+P-Xylenes			<0.00040		mg/L		0.0004	15-SEP-21
o-Xylene			<0.00050		mg/L		0.0005	15-SEP-21
Surrogate: 4-Bromofluoro	benzene (SS)		81.4		%		70-130	15-SEP-21
Surrogate: 1,4-Difluorobe	nzene (SS)		96.0		%		70-130	15-SEP-21

Workorder: L2638753

Report Date: 27-SEP-21

Client:

Riverdale Municipality - Water Treatment Plant

Rivers - PWS Box 520 Rivers MB R0K 1X0 Page 12 of 13

Contact:

JEFF WORTH

Legend:

Limit	ALS Control Limit (Data Quality Objective	/es)		
DUP	Duplicate	·		
RPD	Relative Percent Difference			
N/A	Not Available			
LCS	Laboratory Control Sample			
SRM	Standard Reference Material			
MS	Matrix Spike			
MSD	Matrix Spike Duplicate			
ADE	Average Desorption Efficiency			
MB	Method Blank			
IRM	Internal Reference Material			
CRM	Certified Reference Material			
CCV	Continuing Calibration Verification			
CVS	Calibration Verification Standard			
LCSD	Laboratory Control Sample Duplicate			
	•			

Sample Parameter Qualifier Definitions:

Qualifier	Description
В	Method Blank exceeds ALS DQO. Associated sample results which are < Limit of Reporting or > 5 times blank level are considered reliable.
J	Duplicate results and limits are expressed in terms of absolute difference.
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.
RPD-NA	Relative Percent Difference Not Available due to result(s) being less than detection limit.

Workorder: L2638753

Report Date: 27-SEP-21

Client:

Riverdale Municipality - Water Treatment Plant

Rivers - PWS Box 520

Page 13 of 13 Rivers MB R0K 1X0

Contact:

JEFF WORTH

Hold Time Exceedances:

ALS Product Description	Sample ID	Sampling Date	Date Processed	Rec. HT	Actual HT	Units	Qualifier
Physical Tests							
рH							
	1	13-SEP-21 10:00	15-SEP-21 12:00	0.25	50	hours	EHTR-FM
	2	13-SEP-21 10:15	15-SEP-21 12:00	0.25	50	hours	EHTR-FM

Legend & Qualifier Definitions:

Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended. EHTR-FM:

EHTR:

Exceeded ALS recommended hold time prior to sample receipt.

EHTL:

Exceeded ALS recommended hold time prior to analysis. Sample was received less than 24 hours prior to expiry.

EHT:

Exceeded ALS recommended hold time prior to analysis.

Rec. HT:

ALS recommended hold time (see units).

Notes*:

Where actual sampling date is not provided to ALS, the date (& time) of receipt is used for calculation purposes. Where actual sampling time is not provided to ALS, the earlier of 12 noon on the sampling date or the time (& date) of receipt is used for calculation purposes. Samples for L2638753 were received on 14-SEP-21 09:00.

ALS recommended hold times may vary by province. They are assigned to meet known provincial and/or federal government requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by the US EPA, APHA Standard Methods, or Environment Canada (where available). For more information, please contact ALS.

The ALS Quality Control Report is provided to ALS clients upon request. ALS includes comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined data quality objectives to provide confidence in the accuracy of associated test results.

Please note that this report may contain QC results from anonymous Sample Duplicates and Matrix Spikes that do not originate from this Work Order.

1007 Century Street, Winnipeg, Manitoba, Canada R3H 0W4 Manitoba Conservation and Cilmate Office of Drinking Water



Regular Service (is 5-7 Days):	d Day, rush / priority
Regular Service (default):	Unless otherwise requested

Email PDF copy to: DWO Address: DWO Email: Address: Box 520, Rivers, MB ROK1X0 cao.riverdale@mymts.net Report to Owner (email PDF) Contact: Kathryn Bridgeman Phone. (204) 328-5250 Email: riverspublicworks@mymts.net Box 520, Rivers, MB ROK1X0 Report to Operator (email PUF) (204) 328-7480 **Jeff Worth**

Address: Contact:

hone:

Email:

3 Day, rush / priority 1129 Queen's Ave., Brandon, MB R7A119 Christine.Gerardy@gov.mb.ca Additional Email: Joern. Muenster@gov.mb.ca; Christine Gerardy DWO Phone: (204) 570-1405

Nancy.Eidse@gov.mb.ca

if an update in Owner or Operator contact information is required, please contact your Drinking Water Officer

Report Type: EMS (Lab-MWS) | Project: DWQ-C January-2021 Expected Sample Time: Agency Code: 382 Account: Lab Client / Project Information: RIVERS - PWS 181.00 16843 Operation Name: Operation Code: Operation ID: Sampled by:

DO NOT COPY or RE-USE this form. Sample Number are unique to the Office of Drinking Water Please record Free & Total Chlorine residuals for Distribution By-product Sampling

and provided by Drinking Water Officer

of Containers M8-VOC-PWS-V2013 MB-CH-PWS-V2013 Sample | Sample Type Matrix 00:01 hh:mm Time 13-201-2021 13-547-3021 Sample Date Chlorine (mg/L) . 39 Chlorine (mg/L) 30 Sample Identification Rivers 2 - Treated 2101CG5007 | MB05MFD041 | Rivers 1 - Raw MB05MFD042 Number Station 2101CG5006 Sample Vumber

of this form may delay analysis.	Sample Matrix:	6-Raw Water, 9-Distributed Water, 10-Treated Water
Please fill in this form LEGIBLY.	Sample Type: 1-	Grab Sample
By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified by the Laborator	as specified by the La	boratory.

Date & Time: Samples Received In Good Condition? Sample Condition (lab use only) Validated By (lab use only): Temperature - 10.0 Sept. 13/21 Date & Time: (lab use only) Date & Time For ALL other testing, please use Laboratory specific forms. 3 Relinquished By: (lap ase only) Received By: